

UL 認證一覽表 (檔案編號.E84081)

| Mtl Dsg | Coat Type | | ANSI Type | TI(°C) |
|-----------|--------------------------|-----------------------------------|-------------------|--------|
| | BC | OC | | |
| AIEIW-200 | Polyester-imide | Polyamide-imide | MW35C# or MW73C# | 200 |
| | | | MW35A or MW73A | 220 |
| DD-F | Polyurethane | — | MW79C | 155 |
| DD | Polyurethane | — | MW75C | 130 |
| DD(AL)## | Polyurethane | — | — | 155 |
| DD-NYU | Polyurethane | Polyamide | MW28C | 130 |
| DDF-NY | Polyurethane | Polyamide | MW80C | 155 |
| SS-F | Polyester | — | MW5C | 155 |
| SSU | Polyester | — | — | 130 |
| SS(AL)## | Polyester | — | — | 130 |
| PEWH | Polyester-imide | — | MW30C# | 180 |
| PALW | Polyester-imide | Polyamide-imide/ polyethelyene | MW35C# or MW 73C# | 200 |
| | | | MW35A or MW73A | 220 |
| AIW-100 | Polyamide-imide | — | — | 200 |
| SFNPL | Polyester (amide)(imide) | Polyamide | MW76C | 180 |
| AIEIW-300 | Polyester | Polyamide-imide | MW35C, MW73C | 200 |
| SS-Fu | Polyester | Polyamide-imide | MW35C | 200 |
| PALWu | Polyester | Polyamide-imide | MW35C, MW73C | 200 |
| AIW-100F | Polyamide-imide | — | — | 200 |
| SS-NY(U) | Polyester (amide)(imide) | Polyamide | MW76C | 180 |
| AIW-220 | Polyamide-imide | — | MW81C | 220 |
| AIW-220F | Polyamide-imide | — | — | 220 |
| PIVW | Polyester-imide | Polyamide-imide | MW37C | 220 |
| | | | MW35#, MW73# | 200 |